

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
SC-1	QSG	10243	10243 (SC-1)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
Pawkit	QSG	10341	10341 (Pawkit)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
LP-80 Read First	User Documentation	10566	LP-80 (10566) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (5.50)	10566	
SH-1 Verification	User Documentation	10575	SH-1 (10575) Productlibrary/ Printed Materials/ User Documentation	14582 (Full Page Label)	N/A	N/A	
SDS Envelopes	User Documentation	10577	SDS Envelopes (10577) Productlibrary/ Printed Materials/ User Documentation	14584 (9x6 Envelopes)	N/A	10577	
Glycerin SDS	User Documentation	10583	Glycerin (10583) Productlibrary/ Printed Materials/ User Documentation	14596 (60 # Paper)	Saddle Stitch (AUTO Staple)	10583	
Arctic Silver SDS	User Documentation	10585	Arctic Silver (10585) Productlibrary/ Printed Materials/ User Documentation	18217 (11x17, 28#)	Auto Set for Saddle Stitch ,then hand fold in 1/2	10585	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
Pull-Tabs	User Documentation	10662	Pull-Tabs (10662) Productlibrary/ Printed Materials/ User Documentation	10062 (LTR Transparency Film)	Use slide cutter, cut to size leaving NO black lines.	N/A	
AQUALAB Temperature Correction Label	User Documentation	10872	AQUALAB Temp (10872) Productlibrary/ Printed Materials/ User Documentation	14582 (Full Page Label)	Cut at 4.25, then stack and cut at 2.20	N/A	
LP-80 Packing List	User Documentation	13378	LP-80 (13378) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
Pressure Switch PS-1	User Documentation	13445	PS-1 (13445) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
Artic Alumina SDS	SDS	13888	Artic Alumina (13888) SDS.METERGROUP.COM	18217 (11x17, 28#)	Saddle Stitch (AUTO Staple) Then fold 1/2 by hand.	13888	
Aqualab 4	QSG	13909	13909(AQ4)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
Suspension Kit Label	User Documentation	13930	Suspension Kit (13930) Productlibrary/ Printed Materials/ User Documentation	14582 (Full Page Label)	Use Special Cuts Page	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
UCA Driver Notice	User Documentation	13937	UCA Driver(13937) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (4.25) then stack & cut (2.75)	N/A	
SC-1 Sensor Head Replacement Instructions	Insert	13956	SC-1 Sensor Head (13956)	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
TR-1 Verification	User Documentation	13965	TR-1 (13965) Productlibrary/ Printed Materials/ User Documentation	18055 (Avery Label #5523)	N/A	N/A	
WP4C	QSG	13976	13976 (WP4C)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
Calibration Certification Envelopes	User Documentation	13982	Calibration Cert (13982) Productlibrary/ Printed Materials/ User Documentation	14584 (9x6 Envelopes)	N/A	13982	
DG3 Label	User Documentation	13989	DG3 Label (13989) Productlibrary/ Printed Materials/ User Documentation	14591 (LTR Waterproof Avery Label)	Cut in half (4.25)	N/A	
RJ45 Installation	Inserts	14494	14494 (RJ45)	14596 (60# paper)	N/A	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
VSA	QSG	14510	14510 (VSA)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
HYDROS 21	QSG	14519	14519 (HYDROS 21)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
RK-1 Sensor	QSG	14520	14520 (RK-1)	14596 (60 # Paper)	Cut in half (5.50) & laminate	QSG	
Soil Moisture Sensor	QSG	14521	14521 (Soil Moisture)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
RK-1 Verification	User Documentation	14525	RK-1(14525) Productlibrary/ Printed Materials/ User Documentation	18054 (Avery Label # 22806)	N/A	N/A	
Stop & Verify Insert	User Documentation	14534	Stop/Verify (14534) Productlibrary/ Printed Materials/ User Documentation	14582 (Full Page Label)	Cut in half (5.5) stack them & cut at 3.75	N/A	
TEROS 21	QSG	14536	14536 (TEROS 21)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
AQUALAB PRE	QSG	14539	14539	18217 (11x17, 28#)	Saddle Stitch 14598 - 1/4" Staple	14539	
DG3 Address Label	User Documentation	14615	DG3 Address (14615) Productlibrary/ Printed Materials/ User Documentation	14591 (LTR Waterproof Avery Label)	N/A	N/A	
Pore Water Sampler Connector Kit	User Documentation	14651	Pore Water Sampler (14651) Productlibrary/ Printed Materials/ User Documentation	14652 (OL252OLP, 1x8.25, Label)	N/A	N/A	
VSA Temperature & Humidity	Insert	14956	14956	14596 (60# Cover)	Cut in half (5.5) Laminate 6 x 9	N/A	
SATURO	QSG	14969	14969 (SATURO)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
SATURO Infiltrometer Packing List	User Documentation	14970	SATURO List (14970) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
Thermal Printer Card	Inserts	14976	14976 (Thermal Print)	10223 (80# Card, Long Grain)	Cut at 4.25, Score at 5.5 & fold	14976	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
SC-1 Packing List	User Documentation	14992	SC-1 (14992) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
Fuse, 2A@ 250 V	Inserts	15297	15927 (FuseSheet)	13472 (Microtube Tough-Tags-Label .94x.50)	N/A	15297	
Auto-Pump Out/In Label	Inserts	18020	18020 (AutoPump)	18550 (Avery Label #5195)	N/A	N/A	
Auto Pump Top Label	Inserts	18021	18021 (Auto Pump)	14591 (LTR Waterproof Avery Label)	N/A	N/A	
Drierite SDS	SDS	18025	Drierite SDS (18025) SDS.METERGROUP.COM	14596 (60# Paper)	Saddle Stitch (AUTO Staple)	18025	
SATURO Insert Card	User Documentation	18030	SATURO Insert Card (18030) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (4.25) then stack & cut (2.75)	N/A	
Print End Label	Inserts	18032	18032 (Print End)	14582 (Full Page Label)	Hand cut, using slide cutter	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
TEMPOS TR-4 Insert	User Documentation	18058	TEMPOS TR-4(18058) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in 3rds (3.67)	N/A	
ATMOS41	QSG	18170	18170 ATMOS 41)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
TEROS 11-12	QSG	18193	18193 (TEROS 11-12)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
ATMOS 22	QSG	18194	18194 (ATMOS 22)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
EM60 Port Card	User Documentation	18200	EM60 Port Card (18200) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Use Special Cuts Page	18200	
Meter Certificate Paper	User Documentation	18223	METER Cert Paper (18223) Productlibrary/ Printed Materials/ User Documentation	14596 (60# Paper)	N/A	N/A	
TEROS Information Card	User Documentation	18227	TEROS Info Card (18227) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in 3rds (3.67)	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
TEROS Bit Instructions Sheet	Instruction Sheet	18228	18228 (TEROS BIT IS)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
AQUALAB 3	QSG	18232	18232 (AQ3)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
TEROS 10	QSG	18244	18244 (TEROS 10)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
ZL6	QSG	18257	18257 (ZL6)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
PROP 65 Label	User Documentation	18262	PROP 65 (18262) Productlibrary/ Printed Materials/ User Documentation	14582 (Full Page Label)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	N/A	
ATMOS 14	QSG	18268	18268 (ATMOS 14)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
PHYTOS 31	QSG	18270	18270 (PHYTOS 31)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
TDL	QSG	18287	18287 (TDL)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
AQ2 Spare Sensor Block Instruction Insert	User Documentation	18288	AQ2 Spare Instruction (18288) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Use Special Cuts Page	N/A	
AQ2 Spare Sensor Block Label	User Documentation	18289	AQ2 Spare Label (18289) Productlibrary/ Printed Materials/ User Documentation	14582 (Full Page Label)	Use Special Cuts Page	N/A	
ECRN-100	QSG	18292	18292 (ECRN-100)	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
TEROS Verification Clip	QSG	18299	18299(TEROS Verification)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
Bird Spike Instructions	Instruction Sheet	18300	18300 (Bird Spike)	10223 (80# Card, Long Grain)	Cut in half (5.50)	18300	
ECRN-50	QSG	18302	18302 (ECRN-50)	10223 (80# Cover, Long Grain)	Cut in half (5.50)	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
PAR-PYR	QSG	18305	18305 (PAR-PYR)	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
TEROS 32	QSG	18314	18314 (TEROS 32)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
ZL6 Barometer Daughtercard Instruction Card	Instruction Sheet	18317	18317 (ZL6-IS Barometer)	18218 (11x17, 100#)	Use Special Cuts Page	18317 & 18318	
ZL6 LTE Instruction Card Insert	Instruction Sheet	18318	18318 (ZL6-IS CellularBoard)	18218 (11x17, 100#)	Use Special Cuts Page	18317 & 18318	
H-1 SIM Card Replacement Insert	User Documentation	18320	H-1 SIM (18320) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in 3rds (3.67)	N/A	
Splice Kit IS	Instruction Sheet	18321	18321 (Splice Kit)	14596 (60# Paper)	Use Special Cuts Page	18321	
PARIO Information Card	User Documentation	18329	PARIO Info Card (18329) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in 3rds (3.67)	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
ZCS	QSG	18332	18332 (ZSC)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
NEXUS USB Adapter	User Documentation	18360	NEXUS USB (18360) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (4.25) then stack & cut (2.75)	N/A	
Em50G Repair Insert	User Documentation	18376	Em50G Repair (18376) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (4.25) then stack & cut (2.75)	N/A	
ES-2	QSG	18377	18377 (ES-2)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
ATMOS 41 Funnel Replacement Insert	User Documentation	18379	ATMOS 41/Funnel (18379) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (4.25) then stack & cut (2.75)	N/A	
ZL6 Basic	QSG	18383	18383 (ZL6 Basic)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
TEROS 31	QSG	18387	18387 (TEROS 31)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
RT-1 & ECT	QSG	18391	18391 (RT-1 & ECT)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
AnemometerMast_IS	Instruction Sheet	18392	18392 (AnemometerMast)	18217 (11x17, 28#)	Saddle Fold (AUTO Fold)	18392	
TEMPOS	QSG	18393	18393 (TEMPOS)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
ZL6 Basic Postcard	User Documentation	18396	ZL6 Basic PC (18396) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Use Special Cuts Page	ZL6 Postcard	
ZL6 Standard Postcard	User Documentation	18397	ZL6 Standard PC (18397) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Use Special Cuts Page	ZL6 Postcard	
ZL6 PRO Postcard	User Documentation	18398	ZL6 PRO PC (18398) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Use Special Cuts Page	ZL6 Postcard	
Molecular Sieve SDS	SDS	18401	Molecular Sieve (18401) SDS.METERGROUP.COM	14596 (60# Paper)	Saddle Fold (AUTO Fold)	18401	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
ZL6 Strain Relief Card	User Documentation	18402	ZL6 Strain Relief (18402) Productlibrary/ Printed Materials/ User Documentation	18218 (11x17, 100#)	Cut from bottom (5.75), from the left (15.94) Flip to cut Left to Right (3.75)	N/A	
TEROS 6	QSG	18410	18410 (TEROS 6)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
AROYA Hardware	QSG	18416	18416 (AROYA Hardware)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score & STAPLE , Trim to (5.25)	QSG	
Nelson-Jamson Water Activity	QSG	18427	18427 (Nelson-Jamson)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
AROYA-SOLUS	QSG	18431	18431 (AROYA-SOLUS)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
ES-2 Alignment Label	User Documentation	18440	ES-2 Alignment (18440) Productlibrary/ Printed Materials/ User Documentation	15865 (Microtube Tough-Tags-Label 1.625x.625)	N/A	N/A	
AROYA Scale Instructions	Instruction Sheet	18441	18441 (AROYA-Scales)	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
AROYA Scale Cart	User Documentation	18442	AROYA Scale Cart (18442) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	N/A	N/A	
KSAT Insert Card	User Documentation	18450	KSAT Insert (18450) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in 3rds (3.67)	N/A	
AROYA Quantum	QSG	18452	18452 (AROYA Quantum)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
ATMOS 14 RH Sensor Daughterboard Replacement	User Documentation	18453	ATMOS 41 RH/Replacement (18453) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (4.25) then stack & cut (2.75)	N/A	
ROS-1	QSG	18461	18461 (ROS-1)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	N/A	
ROS-1 Video Insert	User Documentation	18462	ROS-1 Video (18462) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (4.25) then stack & cut (2.75)	N/A	
ROS 1 Filter Paper Box Label	Labels	18464	18464 Productlibrary\ Printed_Materials\ Labels	14582 (Full Page Label)	Cut to RED Lines	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
Forever Green Indoor	Labels	18483	18483 Productlibrary\ Printed_ Materials\ Labels	18491 (Avery Label #5160)	N/A	18483-18485	
RF Agriculture	Labels	18484	18484 Productlibrary\ Printed_ Materials\ Labels	18491 (Avery Label #5160)	N/A	18483-18485	
Dutch Direct	Labels	18485	18485 Productlibrary\ Printed_ Materials\ Labels	18491 (Avery Label #5160)	N/A	18483-18485	
Totum Hydroponics	Labels	18486	18486 Productlibrary\ Printed_ Materials\ Labels	18491 (Avery Label #5160)	N/A	18483-18485	
WP4C Temperature Control Insert	User Documentation	18489	WP4C Temp Control (18489) Productlibrary/ Printed Materials/ User Documentation	14582 (Full Page Label)	Cut at 4.25, then stack and cut at 2.20	N/A	
Green House Solutions	Labels	18492	18492 Productlibrary\ Printed_ Materials\ Labels	18491 (Avery Label #5160)	N/A	18483-18485	
ATMOS 41 RH Sensor Daughterboard Instruction Sheet	User Documentation	18493	ATMOS 41 RH/Instructions(18493) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (4.25) then stack & cut (2.75)	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
VARIOS Insert Card	User Documentation	18503	VARIOS Card (18503) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut to RED Lines	N/A	
ATMOS 41W QSG	QSG	18505	18505 (ATMOS 41W)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
ROS 1 Weight Box Outside Label	Labels	18508	18508 Productlibrary\ Printed_ Materials\ Labels	14582 (Full Page Label)	Cut to RED Lines	N/A	
ROS 1 Weight Box Inside Box Lid Inside	Labels	18509	18509 Productlibrary\ Printed_ Materials\ Labels	14582 (Full Page Label)	Cut to RED Lines	N/A	
TEROS 54 QSG	QSG	18513	18513 (TEROS 54)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
LABROS Software Reference Guide	QSG	18515	18515 (LABROS)	10223 (80# Card, Long Grain)	N/A	18515	
VARIOS QSG	QSG	18516	18516 (VARIOS)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
HYPROP Insert Card	User Documentation	18537	HYPROP Card (18537) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in 3rds (3.67)	N/A	
SATURO Gasket Label	Labels	18540	18540 Gasket Productlibrary\ Printed_ Materials\ Labels	18019 (Avery # 6465,Label)	Cut from the right (8.0) From top to bottom (cut at 1.6)	N/A	
TEROS 22 QSG	QSG	18554	18554 (TEROS 22)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
TEROS Bit Instruction Sheet	Instruction Sheet	18555	TEROS BIT (18555)	18068 (Rite in RainStock) 18069 (Clear Front Cover) 18070 (Navy Back Cover)	Bind(8mm #10077)	18555	
ZL6 WIFI QSG	QSG	18556	18556 (ZL6 WIFI)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00) Score, and Trim to 5.25	QSG	
VSA (Vapor Sorption Analyzer)	Manual	20361	13832 (VSA Pages) 14512 (VSA Cover) Reduce to 90%	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top,bottom,middle, marry & trim side) Bind (10mm # 10074)	VSA	
Mini Disk Infiltrrometer	Manual	20421	10564 (Mini Disk Pages) 14560 (Mini Disk Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple - 1/4, # 14589) Press & Trim Excess	Manual	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
ProCheck	Manual	20425	13481 (ProCheck Pages) 14564 (ProCheck Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple - 1/4, # 14589) Press & Trim Excess	Manual	USB file # 20830 USB (14642) Pocket (14989)
LP-80	Manual	20442	10242(LP-80 Pages) 10888 (LP-80 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top,bottom,middle, marry & trim side) Bind (8mm # 10077)	Manual	USB file # 20823 USB (14642) Pocket (14989)
SATURO Infiltrometer	Manual	20496	14968 (SATURO Pages) 14967 (SATURO Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple - 1/4, # 14589) Press & Trim Excess	Manual	
SDS Manual	Manual	20533	18022 (SDS Pages) 18023 (SDS Cover) Reduce to 92%	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple - 1/4, # 14589) Press & Trim Excess	SDS Manual	
WP4C	Manual	20588	13588 (WP4C Pages) 13589 (WP4C Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple - 1/4, # 14589) Press & Trim Excess	Manual	
AQUALAB PRE	Manual	20589	13893 (PRE Pages) 14540 (PRE Cover) 10042 (General Back Cover)	Pages-14596 (60# Paper), Back Cover (10223, 80#) Front Cover (10223, 80#) (front & back covers located in Spiral Cover bin)	Cut in half (5.50) marry & bind (10074 10mm)	SpiralMan	
ATMOS 41	Manual	20635	18169 (ATMOS 41 Pages) 18192 (ATMOS 41 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple - 5/16, # 14607) Press & Trim Excess	Manual	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
TEMPOS	Manual	20645	18215 (TEMPOS Pages) 18216 (TEMPOS Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple - 5/16, # 14607) Press & Trim Excess	Manual	
G3 Drain Gauge	Manual	20677	13677 (DG3 Pages) 13895 (DG3 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple - 1/4, # 14589) Press & Trim Excess	Manual	
SC-1	Manual	20773	10711 (SC-1 Pages) 10784 (SC-1 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top,bottom,middle, marry & trim side) Bind (8mm # 10077)	Manual	USB file # 20517 USB (14642) Pocket (14989)
AQUALAB 4	Manual	20779	18280 (AQ4 Pages) 18279 (AQ4 Cover) Reduce to 90%	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top,bottom,middle, marry & trim side) Bind (8mm # 10077)	AquaLab4	
PARIO	Manual	20780	18213 (PARIO Pages) 18214 (PARIO Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top,bottom,middle, marry & trim side) Bind (8mm # 10077)	Manual	
ZL6	Manual	20789	18258 (ZL6 Pages) 18259 (ZL6 Cover) Reduce to 92%	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top,bottom,middle, marry & trim side) Bind (8mm # 10077)	ZL6Manual	USB file # 20572 USB (14642) Pocket (14989)
TDL	Manual	20790	18286 (TDL Pages) 18285 (TDL Cover) Reduce to 90%	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top,bottom,middle, marry & trim side) Bind (8mm # 10077)	TDLManual	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
ATMOS 41W	Manual	20821	18498 (ATMOS 41W Pages) 18499 (ATMOS 41W Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top,bottom,middle, marry & trim side) Bind (8mm # 10077)	Manual	
Nelson-Jamson Water Activity	Manual	20869	18425 (NJ Pawkit Pages) 18426 (NJ Pawkit Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple - 1/4, # 14589) Press & Trim Excess	Manual	
APOGEE NDV/PRI	Manual	20871	18420 (APOGEE NDV/PRI Pages) 18432 (APOGEE NDV/PRI Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple - 1/4, # 14589) Press & Trim Excess	Manual	
ROS-1	Manual	20874	18159 (ROS-1 Pages) 18460 (ROS-1 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple - 1/4, # 14589) Press & Trim Excess	Manual	
APOGEE SQ-521 (QUANTUM)	Manual	20999	18474 (APOGEE SQ-521 Pages) 18475 (APOGEE SQ-521 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple - 1/4, # 14589) Press & Trim Excess	Manual	
APOGEE SO-411 (OXYGEN)	Manual	21000	18476 (APOGEE SQ-521 Pages) 18477 (APOGEE SQ-521 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple - 1/4, # 14589) Press & Trim Excess	Manual	
APOGEE SN-500 (NET RADIOMETER)	Manual	21001	18445(APOGEE SN-500 Pages) 18446 (APOGEE SN-500 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Trim (top & bottom) Score, Saddle Stitch (Staple - 1/4, # 14589)	Manual	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
APOGEE SU-221-UV (UV SENSOR)	Manual	21002	18443 (APOGEE UV Pages) 18444 (APOGEE UV Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Trim (top & bottom) Score, Saddle Stitch (Staple - 1/4, # 14589)	Manual	
APOGEE IRT SENSOR (IR RADIOMETER)	Manual	21004	18481(APOGEE IRT Pages) 18482 (APOGEE IRT Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple - 1/4, # 14589) Press & Trim Excess	Manual	
PAWKIT	Manual	30515	10366 (PAWKIT Pages) 10874 (PAWKIT Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Trim (top & bottom) Score, Saddle Stitch (Staple - 1/4, # 14589)	Manual	

Moisture Analysis Toolkit, (MAT) Loaded Active Kit	Inserts	40205	MAT Booklet 14958	14596 (8.5 x 11, 60# - Pages) 14583 (8.5 x 11, 80# - Cover)	Score, Saddle Stitch (Staple # 14589), Cut to size	14958	Pocket (14989)
40201 Site Registration Label	USB Generator Label	40201	Site Registration 40201 <u>DecaDoc/</u> <u>Decagon USB Generator/</u> <u>UBSGenerator</u> <u>(Use most current one)</u>	Zebra Label Maker	Select 10 Labels to print & then create	40201	